


Jerald S. Ault, Jiangang Luo, & Steven G. Smith

University of Miami Department of Marine Ecosystems & Society


UNIVERSITY OF MIAMI

ROSENSTIEL SCHOOL of MARINE & ATMOSPHERIC SCIENCE





Coastal Oceanography & "Habitat" Use Ontogeny




Multispecies Population Conservation Equations

(1) Abundance (numbers-at-age a for cohort i


$$\frac{dN_i}{dt} = \left(\frac{\partial N_i}{\partial a}da + \frac{\partial N_i}{\partial t}dt\right) + \text{advection} + \text{diffusion} + \frac{\text{taxis/kinesis}}{\text{taxis/kinesis}}\right)$$

Predator-Prey
Reaction Kinetics

Drift, Density-dependent Competition & Environmental "habitat" Preferences



21st Century Scientific Challenge to Achieve Fishery Sustainability



National Park Service U.S. Department of the Interior

Natural Resource Program Center



A Cooperative Multi-agency Reef Fish Monitoring Protocol for the Florida Keys Coral Reef Ecosystem

Natural Resource Report NPS/SFCN/NRR-2009/XXX (FOR PEER REVIEW)
















Linking Reef-Fish Spatial Abundance & Benthic Habitats



Smith, Ault, Bohnsack et al. 2011. Fisheries Research Franklin, Ault, Smith, Luo, Bohnsack et al. 2003. Marine Geodesy

Florida Keys Sampling Design Efficiency 1979-2010




Climate Changes and Fisheries Productivity

July 23, 10 am (10 hrs)

Aug 2, 9 am (24 9 hrs)


(B)

(B) Recruitment & **Habitat Quality** for Population Productivity Spatial Individual Patch Object Model Richness BiscayneBay Model prediction Survey estimation Density 1985 1986 1987 1988 1989 1990 1991 1992 1993





Chlorophyll a Sea Surface Temperature **Prey Abundance** Small prey (Spring) Chlorophyll a Concentration (mg/m³) **₹200°mm**° 5 10 15 20 25 30°C 0 5 10 15 20 25 30°C **Spring** Winter 2 19 2003 14 05 1997 26 02 1997 0 5 10 15 20 25 30°C 10 15 20 25 30°C Small prey (Fall) Chlorophyll a Concentration (mg/m³) Fall Summer 20 08 1997 26 11 1997 4 8 2003

ACES (Atlantic Coast Ecosystem Simulation) Model










Cost-effective use of satellite-based technologies to study migrations, habitat use and spawning areas



Vol. 467: 167-180, 2012 doi: 10.3354/meps09957 MARINE ECOLOGY PROGRESS SERIES Mar Ecol Prog Ser

Published October 25



Vertical movement rates and habitat use of Atlantic tarpon

Jiangang Luo*, Jerald S. Ault

University of Miami, Rosenstiel School of Marine and Almospheric Science, Division of Marine Biology and Fisheries, 4600 Rickenbacker Causeway, Miami, FL 33149, USA





July 12, 2006


Heroes of Conservation Photo Gallery



Photo: Dr. Jerald S. Ault

The Bonefish and Tarpon Conservation Research crew from the <u>University of Miami</u> tag fish caught in a 2005 tarpon tournament in Veracruz, Mexico. An understanding of tarpon migration patterns and feeding habits is crucial to the fishery's offshore management. The group attached a Pop-up Archival Transmitting Tag to each fish behind its head.


Documented travels of the mighty Atlantic Tarpon



Orange is Optimal!

26°C (79°F)

T116




Many fishes also like water temperature >26 °C!

Water Temperature data from Tarpon satellite PAT-tags

Temperature frequency (%) distribution by month





Daily averages (dots) and monthly frequency distributions (bars).


What is OHC & Who Cares?




Ocean Heat Content (OHC)

"The integrated thermal energy from sea surface to the depth of the 26 °C isotherm".

Tropical cyclones are a **BIG** deal!.



OHC during September 15, 2004.



SST before (left) and after (right) the passage of Hurricane Ivan (2004) showing upper ocean cooling.

How do you get OHC from tag data?

Depth and Vertical Temperature

